

4-6 years old stalks cut from natural bamboo forest

Cut into length, split into stripes and deskins

dassoXTR

dassoCTECH

Crushed into strands


Fused Bamboo® Technology

CTECH Technology (CeramiX®)


Fused into panels & cut into size

Boards are primed and packaged

Process



dassoXTR patented fusion process extracts the sugars and starches from the bamboo fibers and replaces it with phenolic resins. Then the impregnated fibers are compressed to create a very hard, dense and durable Fused Bamboo® that prevents bacteria, fungus and other micro-organisms from attacking dassoXTR.



dassoCTECH is crystallized the fibers with CeramiX® particles, impregnated it with phenolic resin (the same resin found in bowling balls), then compressed to form Fused Bamboo. Because Fused Bamboo is now fully impregnated with CeramiX® particles that crystallizes the nutrients from attracting bacteria, fungus, molds or insects, the fibers does not rot under exposed environments.

Benefits



Environment Friendly



Mould Resistance



Fire Resistance



Termite Resistance



Hard & Durable



Warranty



Global Innovator of Bamboo Products
Xinhe Village, Linpu Town, Xiaoshan District,
Hangzhou, Zhejiang, China 311251
Tel: +86 571 5716 3765
info@dassoflooring.com
www.dassogroup.cn

1/201907



Innovative
Sustainable
Durable
Stable



Hong Kong-Zhuhai-Macao Bridge

25 Years 25-Year Limited Warranty

Over 9,000,000 M2 Installed Worldwide


Fire Resistance Class Bfl-s1

Patent Pending

DECKING | CLADDING
SOFFIT | LUMBER & PANELS



dassoXTR and dassoCTECH bamboo allows for multi-color staining on the material to allow designers and architects to add vibrant to the designing atmosphere. dassoCTECH bamboo are manufactured with our latest technology. The technology resort around coating bamboo fiber with CeramiX® particles to enhance its natural bamboo properties.




CODE ARTICLE	DESCRIPTION
XD18-SG2-5TG-PSR ED18-SG2-5TG-PSR	18mm Double Groove Decking 18x137x1850mm Reversible Surface Smooth and Reeded and Pre-primed with penetrating Oil.
XD20-SG2-5TG-PSR ED20-SG2-5TG-PSR	20mm Double Groove Decking 20x137x1850mm Reversible Surface Smooth and Reeded and Pre-primed with penetrating Oil.
XD18-SG2-5TG-PSV ED18-SG2-5TG-PSV	18mm Double Groove Decking 18x137x1850mm Reversible Surface Smooth and V-groove and Pre-primed with penetrating Oil.
XD20-SG2-5TG-PSV ED20-SG2-5TG-PSV	20mm Double Groove Decking 20x137x1850mm Reversible Surface Smooth and V-groove and Pre-primed with penetrating Oil.

DECKING



dassoXTR and dassoCTECH bamboo is a great alternative to light color tropical hardwood like Cumaru, Masaranduba and Muiracatiara. The Cladding is Class 0 Mold Resistance, stable and durable. Stain them to your color of choice for a unique exterior look.




CODE ARTICLE	DESCRIPTION
XS18-MSL-5TG-PSS ES18-MSL-5TG-PSS	18mm Cladding 18x137x1850mm Fascia of 127mm with reveal gap of 7mm Pre-primed with penetrating Oil
XS12-100-6FT-PSS ES12-100-6FT-PSS	12mm Cladding 12x100x1860mm Pre-primed with penetrating Oil
Clip B-18	For ES18-MSL-5TG-PSS use on battens
Clip I-12	For ES12-100-6FT-PSS use on battens

CLADDING



dassoXTR and dassoCTECH products are manufactured using a patented process to ensure lasting outdoor beauty and enjoyment. Look and feel of natural wood. Performs like dense tropical hardwoods. Soffit is specifically design for indoor and outdoor applications. Elegance, luxurious and functional. It's Fire Resistance, Zero VOC and Non-leaching.



CODE ARTICLE	DESCRIPTION
XSO12-100-5TG-PSS ESO12-100-5TG-PSS	12mm Soffit 12 x 100 x 1850mm Structural T&G end match Pre-primed with penetrating Oil
Clip SOF-1	For ESO12-100-5TG-PSS use on battens middle
Clip SOF-2	For ESO12-100-5TG-PSS use on battens edge

SOFFIT



dassoXTR and dassoCTECH bamboo Lumber and Panels are to be considered like unfinished lumber. The material is not pre-primed so the user can finish it as they choose into your favorite colors. Both fused bamboo panels come oversized to trim in two different sizes: 20 x 625 x 1860mm and 40 x 625 x 1860mm. dassoCTECH bamboo panels are ideal for creating outdoor furnishings for years of lasting beauty.

CODE ARTICLE	DESCRIPTION
XL20-205-6FT-UAC EL20-205-6FT-UAC	20mm Lumber 20 x 205 x 1860mm Flush with Trim, Unfinished
XL40-152-6FT-UAC EL40-152-6FT-UAC	40mm Lumber 40 x 152 x 1860mm Flush with Trim, Unfinished
XP20-625-6FT-UAC EP20-625-6FT-UAC	20mm Half Panels 20 x 625 x 1860mm Flush with Trim, Unfinished
XP40-625-6FT-UAC EP40-625-6FT-UAC	40mm Half Panels 40 x 625 x 1860mm Flush with Trim, Unfinished

LUMBER & PANELS